



1917 Catalog

OF

PIANO, PLAYER PIANO AND ORGAN TOOLS AND MATERIALS

INCREASED GOST OF RAW
MATERIAL, STEEL, COPPER, BRASS, FELTS
ETC. ADVANCES IN SELLING PRICES ARE
MADE NEGESSARY.
ALL GO. OS NAMED HEREON ARE
AT LUWEST CURRENT HARES.

LYON & HEALY CHICAGO

In Ordering

State number and name of each article to prevent error.

All prices are subject to change without notice.

Terms

All prices are net wholesale F. O. B., Chicago.

To Avoid Delays

Unless credit has been established, please send cash, including postage, with order.

Cash deposit of at least one-half must accompany all C. O. D. orders.

Sending Samples

Samples of importance or merchandise sent by mail should be registered in order to insure safe delivery. Sender's name should be plainly marked on package. Money and letter should be sent under separate cover.

Prompt Shipments

We aim to keep our stock complete at all times in order to insure prompt filling of all orders.

LYON & HEALY

Piano Accessory Dept.

Chicago.

Of Interest

E have endeavored to make this catalog as comprehensive as possible and to make it a necessary adjunct to every tuner's kit. Most of the tools contained herein are made in our own factory and bear out the axiom, "If Lyon & Healy make it, it is of the very highest quality." We employ only the most skilled workmen. Our machinery is of the latest up-to-the-minute type, and every tool manufactured by us has our unqualified guaranty.

Catalog illustrations and descriptions are sometimes very misleading. Often a cheaply made tool will bear the same description as one of the highest grade. Our tools have a distinct individuality and will be a valuable asset to those to whom accuracy is a matter of pride.

Our Piano and Player Material Department is complete and stocked constantly. By combining our piano manufacturing and jobbing requirements, our purchasing powers are greatly enhanced, thereby assuring our customers of the filling of their orders at the lowest possible price.

We specialize in odd and special parts and in matching samples submitted. We exercise the greatest care in executing all orders, no order being too small to be given the same careful attention as the larger ones. A trial order is earnestly solicited.



Tuning Hammers

To gain the highest degree of efficiency a good Tuning Hammer is most essential.

Our Own Make



No. 1. New De Luxe Tuning Hammer, with $2\frac{1}{2}$ inch star head....\$10.00 Black rubber handle, vulcanized to a steel shell in which extension rod fits. Extension rod is regulated by turning end of handle (see arrow) which operates clutch. Weight of entire hammer 14 oz.



No. 3. Tuning Hammer, with 2½ inch star head, same as No. 2..\$6.75

Handle of rosewood, weight of entire hammer 14 oz.

Tuning Hammers

Our Own Make





No. 4. Improved L. & H. Tuning Hammers, with 2½ inch star
head. Handle of black rubber, vulcanized to ½ inch steel rod,
regulation length. Note construction shown in illustration.
Weight of entire hammer is $12\frac{1}{2}$ oz\$5.00
No. 5. Factory Stringing Hammer, same as No. 4 only with square
head 4.50

Star Head



No. 17. Star Heads, to fit any Tuning Hammer, made in 11/2, 2	
and $2\frac{1}{2}$ inch length, weight 2 oz	\$2.50
No. 18. Square Heads, to fit any Tuning Hammer, made in 1½, 2	
and 2½ inch length, weight 2 oz	2.00

Special Size Heads Made to Order 50c Extra To assure perfect fit, rod must be furnished.

Double Oblong Heads



No. 19. Double Oblong Heads, to fit any Tuning Hammer, weight 4 oz.\$3.00

Inexpensive Tuning Hammers


Our Own Make

Goose Neck Hammer






No. 7. Tuning Hammer, hardwood handle, polished, stationary rod, with star head, $2\frac{1}{2}$ inches long, weight 10 oz.....\$1.7



Hale Extension Tuning Hammer

With Octagon Rod



No. 10. Hale Extension Tuning Hammer, with double head and oblong tips, long head, short head, four sizes star tips and tip wrench, handle of rosewood, weight 32 oz...............\$10.00
No. 11. Hale Extension Tuning Hammer, same as No. 10, with one head (long or short), one star tip and tip wrench, weight 24 oz... 5.00

Heads for Hale Hammers





No. 21. Extra Heads, without tip, long or short.....each, \$0.75

Tips for Hale Hammers









No. 22. Extra Tips, sizes No. 1, 2, 3 and 4.....each, \$0.75
To assure perfect fit, head must be furnished.

Tip Wrench

No. 23. Tip Wrench\$0.35

Tuning Hammer

Our Own Make



"T" Hammer



No. 13. "T" Hammer Handle, rosewood handle with steel lining; weight, 5¼ oz.....each, \$2.00



No. 14. "T" Hammer; rod to fit handle No. 13; square or oblong; weight, $3\frac{1}{4}$ oz.....each, \$2.25

Mason & Hamlin Tuning Wrench



No. 16. Tuning Wrench for Mason & Hamlin Pianos; 43% inches long; weight, 1 oz.....each, \$1.00

Improved Combination Screw Driver and Action Tool Handle

Our Own Make

The L. & H. Combination Handle. A tool holding device of exceptional superiority with "Hold Fast Clutch," extended to "Head Tap Release Plunger" (see arrow). Made of the best quality tool steel and hard rubber. Tools fit snugly and firmly in clutch, and can be easily released by tapping plunger on a solid base.



No. 25. Hard rubber handle, 34x43/8 inches, weight 31/2 oz...each, \$1.50



No. 26. Hard rubber handle, 152x47/8 inches, weight 4 oz...each, \$1.50

Screw Driver Blades



No. 30. Small Screw Driver, \(\frac{7}{36} \times \) inches long.....each, \(\frac{5}{30.35} \)
No. 31. Medium Screw Driver, \(\frac{1}{34} \times \) inches long.....each, \(\frac{40}{30.35} \)
No. 32. Large Screw Driver, \(\frac{7}{36} \times \) inches long.....each, \(\frac{45}{30.35} \)

These Screw Drivers are made of best quality steel, oil finished, and will fit either handle.

No. 29. A complete set of Screw Drivers and either handle, No. 25 or No. 26, weight 12 oz.....per set, \$2.50

Piano Tool and Screw Driver Handles



No. 27. Octagon rosewood handles. Length, inches Thickness, inches Each	4 ¹ / ₄	45/8	5
	1 ¹ / ₈	1 1 1 8	1 ¹ / ₄
	\$0.10	\$0.12	\$0.14
No. 28. Octagon maple handles, rosewood stain	ned.		
Length, inches	4 ¹ / ₄	45/8	5
	1 ¹ / ₈ .	1 3	1 ¹ / ₄
	\$0.08	\$0.10	\$0.12

Screw Drivers Our Own Make For Ordinary Handle.

Ma	33	Small	Screw	Driver.	646×8	inches	longeach,	\$0.35
TAT -	21	Madinim	SCHON	()river	1/4 XX3/0	inches	longcath,	יד.
No.	35.	Large	Screw	Driver,	5 x85/8	inches	longeach,	.45

Midget Screw Drivers THE LITTLE WONDER



No. No.	44. 45.	Screw Screw	Driver, Driver,	1 ¹ / ₄	inch inch	bladeeach, bladeeach,	\$0.10 .15
------------	------------	----------------	--------------------	-------------------------------	--------------	-----------------------	---------------

Extra fine quality. Tempered steel blades.

Screw Drivers

"Yankee" Ratchet Screw Drivers



No. 37.	Hardwood, polished handle, steel polished blades, 4 s long; weight 5½ ozseach,	\$0.50
No. 38.	Hardwood, polished handle, steel polished blades, 5 inches weight, $5\frac{1}{2}$ ozseach,	
No. 39.	Hardwood, polished handle, steel polished blades 6 inches weight 8 075	

"Yankee" Spiral Ratchet Screw Drivers



No. 49. Hardwood, polished handle, steel, nickel plated with 3 bits.

The extreme length of the tool with bit in chuck is 13½ inches long when closed, and when extended 19¼ inches; weight, 14 oz.per set, \$1.65

Chuck and Drill Bits



Screw Drivers Champion Screw Drivers




No. 41.	Grooved weight 2	wood	handle,	steel	polished	blades,	51/2	inches	\$0.20
No. 42.	Grooved	wood	handle,	steel	polished	blades,	$6\frac{1}{2}$	inches	
No. 43.	Same as	No. 42		hes 1	ong			each,	.25



Organ Screw Driver Our Own Make

No. 48. Organ Screw Driver, handle made of fiber, total length of driver 2 inches, wt. ½ oz..each, \$0.60

Hand Drills



No. 52. Hand Drill, 12½ inches long, weight 23 oz, enameled iron, single gear, nickel plated chuck, having three jaws resting in solid sockets, cocobolo handles. Holds drills from 18 to 18 inch, with eight fluted drill


points in hollow handle and extra side handle.....each, \$1.60

Brace Screw Drivers Our Own Make



No. 53.	Small			long	\$	0.35
No. 54.	Medium	Driver, $\frac{7}{16}$	x4½ inches	long	,	.45
No. 55.	Large					.55
		Made of p	olished ste	el, best qualit	у.	

Improved Tool Holder with Tool Set



Genuine cocobolo handle. Hand polished. The chuck is the latest, most approved type with hardened steel jaws operated by a spring and a heavy knurled steel sleeve for holding tools. This chuck is fastened securely to the handle by a heavy steel pin.

A High Grade Practical Outfit

Tool set consists of the following tempered steel tools:

1 Chisel.

1 Large Screw Driver.

1 Brad Awl.

1 Saw.

1 Small Screw Driver.

1 Gimlet.

1 Countersink, 1 Scratch Awl. 1 Gouge. 1 File. Tools 4 inches long, which are neatly packed in handle. Length of handle 7½ inches, weight 16 oz.

No. 57. Complete set of tools with handle.....\$1.35

Our Own Make

Key Spacer	
No. 58. Key Spacer, for ordinary handle, 11½ inches or 8 inches long No. 59. Key Spacer, for combination handle No. 26each, Weight 2¾ oz. Damper and Back Check Regulators	
Sumper und Dutch Sumper	
No. 60. Damper and Back Check Regulator Bent, for ordinary handle, 8½ inches long	.55
No. 63. Damper and Back Check Regulator, straight, for ordinary handle, 8½ inches long	.60
Regulating Screw Driver	
No. 66. Regulating Screw Driver, for ordinary handle, 7½ inches each, \$6. No. 67. Regulating Screw Driver, for combination handle No. 26 Weight 1 oz. Damper Regulators	.75
No. 68. Damper Regulator, for ordinary handle, 6½ in. long.each, \$ No. 69. Damper Regulator, for combination handle No. 26each,	.55

Prices Net Wholesale, Postage Extra

Our Own Make

Back Check Regulator



No. 71. Back Check Regulator, for ordinary handle, $3\frac{1}{2}$ inches long ... each, \$0.60

No. 72. Back Check Regulator, for combination handle No. 26 ... each, .60

Weight $\frac{3}{4}$ oz.

Dowel Bender



No. 73. Dowel Bender, for ordinary handle, 4 inches long...each, \$0.60 No. 74. Dowel Bender, for combination handle No. 26.....each, .60 Weight 1 oz.

Hammer Shank Drill



Double Head Screw Drivers



Rocker Screw Driver




Capstan Screw and Front Key Pin Regulator




No. 82. Capstan Screw and Front Key Pin Regulator combined, 5 inches long, weight 1 oz.....each, \$0.40

Capstan Screw Regulator



No. 83. Capstan Screw Driver, polished, best quality steel, 41/4 inches long, weight 1 oz.....each, \$0.20

Spoon Regulators



No. 84. Spoon Regulator, for ordinary handle, 5% in. long..each, \$0.80 No. 85. Spoon Regulator, to fit combination handle No. 26..each, Weight 1 oz.




No. 87. Spoon Regulator, for ordinary handle.....each, \$0.70 Weight 1 oz.

No. 88. Spoon Regulator, straight.....each, .70

Weight 1½ oz.

Can be used without handle.

Damper Regulator



No. 89. Damper Regulator, for ordinary handle, 6¼ in. long.each, \$0.75 No. 90. Damper Regulator, for combination handle No. 26..each, Weight 1 oz.

Our Own Make

Spring Regulator

No. 92 No. 93

Key Reamer


Our Own Make




No. 94. Key Reamer, 3 inches long, weight 1/4 oz.....each, \$0.35

Hallet and Davis Piano Jack Regulator


Our Own Make



Action Regulators




Steinway Capstan Screw Regulator



Our Own Make

Butt Screw Holder

Our Own Make




No. 47. New Improved Butt Screw Holder, weight 2 oz......\$1.00

This tool has proven to be practical for the purpose of removing and inserting butt screws in action parts, without dropping. Made with rose-wood handle, solid steel blade in center, two steel prongs which operate by moving steel sleeve up and down. Steel sleeve has knurled finger hold.

Capstan Screw Driver

Our Own Make



No. 98. Capstan Screw Driver, 3 inches long, weight $4\frac{1}{2}$ oz..each, \$0.40 Send sample screw when ordering driver.

Pin Vise



No. 100. Pin Vise, best quality steel. Hole bored through the handle each, \$0.75

Pin Vise



No. 101. Pin Vise. Hole bored through. Best quality steel, 4½ inches longeach, \$0.55

These pin vises can also be used as broach holders.

Felt Pickers

Our Own Make






No. 103. Felt Picker, straight. Weight 1 oz.....\$1.25



Felt Picker Adjustable



No. 105	Felt	Picker,	improved.	Can	be	adjusted	into	bent	or \$1.25
No. 107 Per	doz	Picker s	teel needles	S.					05

Pin Setter

Our Own Make



No. 108. Pin Setter, with string stretcher combined, weight 6 oz ... \$2.00

Stringing Crank

Our Own Make



No. 109. Stringing Crank. This tool is used for winding coils on tuning pins; quick way of stringing; weight 3½ oz.........\$1.65

Pin Extractor
Our Own Make



No. 110. Pin Extractor. Will fit into star head. Weight 1 oz \$1.00

Tap

Our Own Make



No. 112. Tap. Used in cleaning out pin extractor when chips of old tuning pin have been left inside......\$0.65

Prices Net Wholesale, Postage Extra

Piano Repair Tools

Hammer Iron
Our Own Make



No. 113. Made of brass with hardwood handle, weight 3½ oz.....\$0.50

No tuner's outfit is complete without a Hammer Iron for ironing the felt on hammers after they have been filed. Filing leaves a ragged edge, by heating iron and passing it over the hammers, they take on a fresh appearance.

Tuning Forks Our Own Make



No. 115.	"C" International pitch 517.3, polished steel\$0.20 "A" International pitch 435, polished steel20							
NO. 110.	Blued Steel Forks							
No. 618.	"C" International pitch 517.3 \$0.50 "A" International pitch 435 .50 "C" Concert 540 .50							
Genuine Sheffield Forks Blued Steel								
No. 120. No. 121.	"C" International pitch 517.3							

Bridle Strap Inserter

Tack to be used.



No. 125. Bridle Strap Inserter, weight 3½ oz......\$0.75

DIRECTIONS

Insert a tack under the prongs at the point (see arrow), and then place the leather tip under the thumb and against the brass plate of tool and push the hammer butt forward in the action so as to bring it out of line of the others. The end holding the tack will readily enter the bridle hole point foremost.

The purpose of this tool is merely to place the tack and ribbon in the proper position, and is not intended to complete the operation. This part of the work is more simply and more ably done with a pair of pliers, preferably the 5 inch Duckbill, but any ordinary pliers will do

very well.

No. 126. Tacks used with Bridle Strap Inserter No. 125..per box, \$0.05

Bridle Strap Inserter

Our Own Make

Glue to be used.



No. 127. Bridle Strap Tool.....

Tool has a collar with a hook, which can be adjusted for any length bridle straps. Apply glue on strap after being placed on tool, and it can be easily brought to the hammer butt through back stop. Weight 2 oz.

Bridle Strap Knife Our Own Make


No. 128. Knife, for ordinary handle..... No. 129. Knife, for combination handle. For removing old bridle

This practical knife can easily reach into the hammer butt and will remove tape and glue to a clean surface, ready for new straps.

Prices Net Wholesale, Postage Extra

Hammer Extractor

Our Own Make




No. 130. New Improved Hammer Butt and Shank Extractor. Can	
be used on any style of piano. Does not mar nor clamp the stem.	
In changing the long screw of the upright piano hammer ex-	
tractor, with the foot on the other end, it can be used to take off	
bumpersper set of two, \$	2.80
For Grand Hammers only	.80
For Upright Hammers only	2.00
No. 131. Clamp, used in connection with Hammer Extractor	
when stem breaks	.75

For general factory work, our new No. 4 Tuning Hammer has no equal. See page 3.

No. 143.


Our Own Make

String Lifter




No. 132. String Lifter, 5 inches long......\$0.45

String Spacer



No. 133. String Spacer, 7 inches long, weight 1½ oz............\$0.35

String Spacer and Lifter




Tuning Pin Drill



No. 136. Tuning Pin Drill, for 00 pins or $\frac{17}{64}$ inch diameter......\$0.45

Spoon Bits



 No. 137.
 Spoon Bits, for No. 138.
 0 pins, round shank.
 each, \$0.40

 No. 138.
 Spoon Bits, for 00 pins, round shank.
 each, 40

 No. 139.
 Spoon Bits, for 00 pins, round shank.
 each, 40

 No. 141.
 Spoon Bits, for 0 pins, square shank.
 each, 45

 No. 142.
 Spoon Bits, for 00 pins, square shank.
 each, 45

Key Lead Bits

Spoon Bits, for 000 pins, square shank....each,

.45



 No. 145.
 Key
 Lead
 Bits, 3%
 inch diameter
 each, \$0.60

 No. 146.
 Key
 Lead
 Bits, 1/6 inch diameter
 each, 60

 No. 147.
 Key
 Lead
 Bits, 1/2 inch diameter
 each, 60



Our Own Make

Key Rebushing Knife



No. 148. Key Rebushing Knife, 3 inches long, weight ½ oz......\$1.00


Key Rebushing Wedge

For Center.



No. 149. Key Rebushing Wedges. 'Each Per Doz. \$0.05

Key Rebushing Wedge



No. 150. Key Rebushing Wedges..... Each Per Doz. \$0.08 \$0.65

Key Center Hole Punch



No. 152. Key Center Hole Punch, used for plugging.....each, \$0.15

Action Repinning Tools

 No. 153.
 Broach, for rebushing actions, cornered.....each, \$0.15

 No. 154.
 Rat Tail File.......each, .15

 No. 155.
 Broach, roundeach, .15

Broach Handle



No. 157. Broach handle, hardwood, 4 inches long.....each, \$0.05

Tweezers



To be used in narrow spaces where fingers cannot be	used, also for
placing or removing punchings, bridle straps, center pin	s, etc.
No. 158. 4 inch, weight ½ oz	each, \$0.45
No 150 5 inch weight 1/2 07	eacn, .55
No. 160. 6 inch, weight 1 oz	each, .75
No. 161. 7 inch, weight 1 oz	

Felt Scissors



Best quality steel, nickel plated.

No. 164. Felt Scissors, 51/2 inches long, weight 1 oz....each, \$0.75

Center Pin Box Our Own Make





Wire Carriers

Our Own Make



Should be in


every Grip.

Holds 350 Feet of Wire.

No. 168. Music Wire Reel, aluminum. Will carry eight sizes of wire, weight 1 oz.....each, \$0.75

Tin Wire Clamps

No. 169. Tin Clamps for holding 1/4 lb. coil wire.....per doz., \$0.15



Saves Space in Grip.

No. 172. Wire Carrier, nickeled case, same as No. 83, containing 1 pound of assorted wire. Best quality, sizes 12 to 20............ 3.65

Prices Net Wholesale, Postage Extra

Our Own Make Tuning Pin Punch




No. 173. Punch, 5¾ inches long, weight 4 cz. For driving out broken tuning pins....each, \$0.55

Tuning Pin Punch



No. 174. Tuning Pin Punch, $3\frac{1}{2}$ inches long, weight 5 oz. For driving in tuning pins.....each, \$0.50

Coil Setter



No. 175. Coil Setter, 31/4 inches long, weight 4 oz....each, \$0.45

Center Pin Punch



No. 176. Center Pin Punch, 3½ inches long, weight ½ oz. For removing center pins.....each, \$0.25

Shaver



No. 177. Shaver or Scraper. Can be used for scraping ivories, wood, etc.each, \$0.50

Universal Scraper



No. 178. Universal Scrapereach, \$1.25

Has all edges ground perfectly square, which by using both sides give it eight sharp cutting edges, any one of which can almost instantly be brought into use by means of the ball joint connecting handle. By a slight turn of same the ball joint is frictionally locked or released, or placed at any angle desired to get into corners and to tip the scraper blade so as to give the most effective cut. The head piece, which may be instantly slipped off and on either end or side of scraper, together with the finely shaped handle, enables one to use it with a strong firm grip, bearing on either heavily or light to effect the best results.

Action Bolt Wrench

Our Own Make



No. 180. Action Bolt Wrench, 51/2 inches long, weight 4 oz..each, \$0.90



No. 181. Action Bolt Wrench, hexagon, 4½ inches long, weight 6 oz.each, \$1.00 Send screw when ordering.



Alcohol Lamps



No. 184. Made of brass, detachable spout, entire length of lamp 4½ inches, weight 1 oz.....each, \$0.45



No. 185. Made of brass, stationary spout, entire length 10 inches, weight 2 oz.each, \$0.75

Burning in Knife



No. 186. Burning in Knife, used for burning in shellac in cracked or scratched cases, etc.....each, \$0.25

Glue Holder



No. 188. Glue Holder.....each, \$0.10

Perfect Pocket Oiler



No. 189. Oiler. Regulates the supply of oil which throws only a few drops at a time, prevents waste of oil, weight 1 oz....each, \$0.20

Shimming, Scraper and Burning Chisel



No. 187. Best tool steel, the shim or sharp end being tempered. 834 inches long, 78 inch wide, weight 8 oz......\$1.00

For sound board work it opens up a perfect V joint, trims the shim after it is glued and with the scraper end scrapes it for a smooth job. The "offset" in the chisel end enables you to drive it up under the plate when working on the front of the board, and opens the joint so that the shim can be extended far enough under the plate. In opening up a joint for a shim, you hold the chisel erect and drive it back and forth. In proportion as you bear it downwards you increase the width and depth of the V.

In burning in shellac filler this tool will be found a great help, as it holds the heat well and is the right shape to level the filling. With the sharp end of tool you rough trim and with blunt end of tool sharpened as a scraper, same can be trimmed to a smooth surface, while shellac is still warm, after it has been burned in.

All our Tools are carefully made out of best Tool Steel. A new useful Tool for case repairing is listed on this page.

Grand Regulating Tools



No. 191

No. 191. Grand Action Screw Driver.....\$0.35

Grand Action Regulating Screw Driver

Grand Action Regulating Tools Our Own Make

No. 193	
No. 194	
No. 195	

No. 193.	Grand Action Screw Driver, weight ½ ozeach,	\$0.25
No. 194.	Grand Action Regulating Screw Driver, weight ½ oz.	.30
	Court Damper Fesier weight 1/ 07 each.	


Grand Hammer Butt Spacer Our Own Make



No. 196. Grand Hammer Butt Spacer, 6½ inches long, weight 2 oz. \$0.90

Piano Repair Tools

Mutes or Wedges for Tuning



No. 202. No. 205.	Mutes, Mutes,	5/8 inch 7/8 inch	wide wide	by by	23/ ₄ 23/ ₄	inches	longper longper	doz.,	.84 1.20
No. 201.	Mutes,	1/2 incl	wide	by	31/2	inches	longper	doz.,	.72
No. 200.	Mutes,	1/4 inch	wide	by	$2\frac{1}{2}$	inches	longper	doz.,	\$0.30

No. 203. Mutes, 75 inch wide by 23/4 inches long, with wire handle.
Per doz. \$0.90



No. 204. Wood handle with buckskin....each, \$0.20

Mutes for Setting Temperament



No. 208. Rubber Strip, 27 inches long by 1 inch wide.....each, \$0.30 No. 209. Felt Strip, 27 inches long by 1 inch wide.....each, .15

Piano Repair Tools

Felt Knives

Blades are made from selected high quality tool steel, evenly hardened and tempered.



No. 212. 23/4 inch blade, round burnt riveted handle.....\$0.15



No. 213. 2 inch blade, oval rubberoid riveted handle.....\$0.25



No. 214. 4¾ inch blade, rosewood riveted handle......\$0.55



No. 215. 53/4 inch blade, rosewood riveted handle.....\$0.65

Prices Net Wholesale, Postage Extra

Hammer Shank Roller

Our Own Make



No. 217. Hammer Shank Roller.....\$5.00


This Roller is very practical, which every factory and repairman should have. Saves considerable time in knurling or pressing ends of hammer shanks when fitting same into hammer heads and hammer butts.


Sand Paper File




No. 218. Sand Paper File, 6¾ inches long, weight ¾ oz..........\$0.15 When sand paper is worn down, new can be applied into slot of file.

Music Wire Cutting Nippers









An Indispensable Tool for Professional Tuners—Endorsed by All Experts

> For leaning or twisted shanks. Key Pin Regulator.

Combination of Key Plier.

Clamp.

No. 228. Made of best quality steel, weight 12 oz.....\$7.50 Without any heating or burning, this tool instantly and permanently corrects leaning and twisted hammer shanks, reducing the time required for the work from hours to minutes and placing the hammers in perfect and permanent spacing. With equal facility it raises or lowers the hammer heads to produce evenness. It also has a key spacer and key pin regulator, which enables to space the keys and regulate the key pins without removing the key strip or raising more than one key at a time. Vise and clamp suitable for holding and gluing small pieces and parts of an action from \(\frac{1}{8} \) to \(\frac{3}{4} \) of an inch and larger ones up to 3 inches. It will hold securely metal pieces for the making or reshaping of small tools so that they may be filed, hammered, twisted or bent at will. It meets all emergencies requiring a clamp or vise in piano action work. Key pliers so shaped as to adapt itself to the most acute sweep in the keys without splitting the "cap" or bruising the key. Its jaws parallel both at 1/8 and 3/8 of an inch, hence it works equally well on the wide and narrow parts of the key. Two grooves, one opposite the other, as close as possible to the rear of the jaw. One very slightly concave, its opposite more acutely convex. Slight pressure with the pliers grasping the upper part of the exposed part of the shank effects a correspondingly slight movement of the hammer, more pressure at the lower part a greater movement. Utilizing all the space, sets the hammer over against its neighbor without weakening the shank or making any abrasions, its natural flexibility is overcome and the change to a correct position of the hammer is fixed and permanent.

Diagonal Cutting Nippers



End Cutting Nippers



No. 231. End Cutting Nipper, 5 inches long.....pair, \$0.55
No. 231. End Cutting Nippers, 6 inches long....pair, .65

Flat Nose Pliers-"Lodi"



No. 232. Flat Nose Pliers, with side cutter, 5 inches long..pair, \$0.10

Flat Nose Pliers



No. 239. Stub's Flat Nose Pliers, 5 inches long.....pair, \$0.40 6 inches long.....pair, .50

Round Nose Pliers

No. 241. Round Nose Pliers, 5 inches long, weight 3 oz.....pair, \$0.45

Swanbill Pliers

No. 242. Swanbill Pliers, $5\frac{1}{2}$ inches long.....pair, \$0.45

Cutting Nippers

No. 240. Combination Nippers and Pliers, 5 inches long. Can be used for cutting music wire......pair, \$0.75

Prices Net Wholesale, Postage Extra

Parallel Pliers

No. 233. Parallel Action Pliers, 8½ inches long, box joint, weight

Hammer Shank Tongs


Key Pliers
Our Own Make




No. 245. Key Pliers, with swivel jaws, length $6\frac{1}{2}$ inches, weight 7 oz. Has a swivel jaw that swivels both ways. It is adapted to ease keys, especially on keys near the bracket......pair, \$1.50

Regulating Pliers Our Own Make





No. 252. Ivory Clamp, for gluing on tops.....per doz., \$2.50



No. 253. Ivory Clamp, for gluing on fronts.....per doz., \$2.00

Top Front Clamps Combined Our Own Make



No. 254. Combination Ivory Clamp, for either gluing on tops, fronts or tails \$4.20

Rubbing and Polishing Pads



Prices Net Wholesale, Postage Extra

Bench Vises

Operated by an Accurately Cut Steel Feed Screw



No. 290. Jaw 1 inch wide, jaws open 1½ inches, net weight 1¾ lbs.\$1.00 No. 291. Jaw 2 inches wide, jaws open 2 inches, net weight 3¾

Block Planes



No.	292.	Iron japanned, 3½ inches in length, 1 inch cutter\$0.25
No.	293.	Same as No. 292, nickel plated

Hammer

For Factory Use-Driving in Tuning Pins



No. 294. Hammer, polished, selected hickory handle, 3 lbs.......\$1.65 Hammers are forged from solid crucible steel. Any found defective in proper usage may be returned.

Beginners' Tuners' Satchel


Strongly made, wood frame, iron rim covered with heavy imitation seal grain leather, lined with red flannel.



No. 259. Tuners' Satchel......\$3.00

Two compartments equipped with tool holding straps, full nickel trimmed, lock and key. Measurements, 14 inches long, 4½ inches deep and 8½ inches high, weight 32 oz.

Tuners' Satchels




No. 260. Tuners' Case.....\$6.50

Strong hardwood case, imitation seal grain leather covered, equipped with nickel plated trimmings, lock and key. Has two compartments, the covers of same being provided with leather loops to hold tools. Inside measurements are $4\frac{1}{2}$ inches deep, 8 inches wide and $12\frac{1}{2}$ inches long.

No. 261. Satchel......\$7.50

Same as No. 260, covered with best quality black or tan saddle leather, hand sewed edges.

Rolls



Time is worth money. Be prepared for any job by having one of our Special Complete Assortments of materials. See pages 65 and 67.

Beginners' Inexpensive Kit

This Kit is a very carefully selected assortment of the most necessary tools, all of which will prove very useful at all times.

This Kit consists of

No.

8. Tuning Hammer.

40. 115.	Tuning Fork, Int. Pitch.	
No. 41.	Screw Driver.	
No. 66.	Regulating Screw Driver.	
No. 117.	One Pair of Nippers.	
No. 58.	Key Spacer.	
No. 201.	Two Mutes.	
No. 203.	One Mute.	
No. 160.	Six Inch Tweezer.	
No. 102.	Felt Picker.	
No. 130.	Short Extractor.	
No. 274.	Above tools with Roll No. 265	\$11.30
Vo. 275.	Above tools with Case No. 260	12.25

No repairman's outfit is complete without an assortment of our new Star Shellac. See page 60.

Kit for Professional Tuners

These Tuners' Outfits have been compiled by one of our expert tuners. Tuners will find it to their advantage to order a complete outfit. The Tools in These Kits are of the Best Quality

No. 4.	Improved Tuning Hammer.
No. 117.	Tuning Fork, C Int. Pitch.
No. 201.	Two Mutes.
No. 203.	Two Mutes.
No. 29.	Set of Screw Drivers with combination handle.
N.o. 59.	Key Spacer.
No. 61.	Back Check Regulator.
No. 67.	Regulating Screw Driver.
No. 69.	Damper Regulator.
No. 82.	Capstan Screw Regulator.
No. 77.	Hammer Shank Drill.
No. 81.	Rocker Screw Driver.
	Spring Regulator.
N.o. 85.	Spoon Regulator.
No. 153.	Rat Tail File.
No. 154.	Cornered Broach.
	Round Broach.
	Three Handles to fit broaches.
	Alcohol Lamp.
	Ivory Clamp.
	Tweezer, 6 inch.
	Round Nose Plier.
	Cutting Nippers.
No. 245.	Key Pliers.

No.	276.	Above Tools	with	Leather	Roll	No.	264	\$20.90
No.	277.	Above Tools	with	Leather	Roll	No.	265	21.40
No.	278.	Above Tools	with	Case No	. 261			23.35
		Above Tools						24 30

Highly Recommended Kit for Advanced Professional Tuners

Tools in These Kits are of the Best Quality New De Luxe Tuning Hammer. Remain Lane 292 Tuning Fork, C Int. Pitch.
Two Mutes. No. 117. Two Mutes.
Two Mutes.
Key Spacer.
Regulating Screw Driver. 164 Processors No. 201. No. 203. No. 59. Key Spacer. No. 67. 177 cure scraper No. 72. Back Check Regulator. Hammer Shank Drill. No. 77. No. 92. Spring Regulator. No. 94. Key Reamer. No. 125. No. 153. Bridle Strap Inserter. Rat Tail File. No. 154. Cornered Broach. No. 155. Round Broach. No. 157. Three Handles to fit broaches. No. 184. Alcohol Lamp. Wire Gauge. No. 343. Tweezer, 6 inch. No. 160. No. 134. String Spacer and Lifter. No. 176. Center Pin Punch. No. 230. Cutting Nippers. No. 110. Pin Extractor. No. 166 Center Pin Box filled with pins. No. 103 Felt Picker. No. 209. Felt Mute. Set of Screw Drivers with combination handle. No. 29. No. 61. Damper Regulator. No. 69. Damper Regulator. No. 82. Capstan Screw Regulator, No. 81. Rocker Screw Driver. Rocker Screw Driver. No. 113. Hammer Iron. No. 85. Spoon Regulator. No. 172. Wire Carrier, filled. No. 254. Ivofy Clamp. Set of Extractors. Butt Screw Driver. No. 130. No. 47. No. 241. Round Nose Plier. No. 250. Regulating Plier. No. 245. Key Plier. No. 280. No. 281.

ACTION FELTS

No. 301. White Hammer (Top) Felt......per strip, \$4.00

Best quality felt, only by the set or strip and when cut the proper width for hammers, will weigh 16 ozs. Bass end is from ½ to 1½ inches thick. Treble end is from ½ to ½ inch thick.

Muffler or Harp Felt



treble; strips 2 inches wide, 54 inches longper 1b. 4.00			inch at bass and 3/16 at
per 1b. 4.00	treble; strips 2 inc	ches wide, 54 inches lo	ngeach, \$0.20
		• • • • • • • • • • • • • • • • • • • •	per 1b. 4.00

Damper Felts

No. 303.	White, 1/4 inch thick; 1 oz. measures 4x71/4 inches.per 1b., \$4.00
	per oz., .28
No. 304.	3/8 inch thick; 1 oz. measures 4x63/4 inchesper 1b., 4.00
	per oz., .28
No. 305.	½ inch thick: 1 oz. measures 7½x35% inches per oz. 4.00

Wedge Felts

Damper Felt can be furnished cut in any size desired.

No. 306.	White, 1/4 inch thick; 1 oz. measures 45/8x31/2 inches	
	per 1b., \$4.0	0
	per oz., .2	8
N o. 307.	3/8 inch thick; 1 oz. measures 41/4 x 35/8 inchesper 1b., 4.0	0
	per oz., 2	8
N o. 308.	½ inch thick; 1 oz. measures 2x1¼ inchesper 1b., 4.0	0
	per oz., .2	8
	Wedge Felt can be furnished cut any size desired.	

ACTION FELTS

Hammer Butt Felt

No						Hamm				
						About				
	OZ. I	neasur	es 4x8	8 inc	hes	 	 	pe	r oz.,	\$0.20
						 	 	pe	r 1b.,	2.75

Back Check Felt

No).	310.	Green,	1/4	inch	thick	. F	or	Back	Chec	ks;	about	6 lbs	. to	
	a	yard.	. One	oz.	mea	sures	3x3	in	ches				per	oz.,	\$0.20
								0 10 0					per	1b.,	2.75

Spring Rail Felt

No. 311.	Red, 1/8 inch th	nick. For Spring Ra	il, Cushions, Hammer
Butts			per oz., \$0.2 0
			per lb., 2.75

Nameboard Felt



No. 312. Red, ½2 inch thick. For lining Nameboard; about 14 ozs. to yard. A strip 1½ inches wide and 72 inches long,
weighs an oz
No. 313. Red, 1/16 inch thick. For lining Nameboard, Damper Levers, Hammer Butts. About 1 lb. to a yard. Can be fur-
nished in strip 3/4 inch wide and 54 inches longper strip, \$0.10

ACTION CLOTHS

Bushing Cloth

1 inch strips, 54 inches long
Abstract Cloth
No. 316. Green Abstract Clothper yard, \$4.00 1 inch strips, 54 inches longper strip, .15
Punching Cloth
No. 317. White Punching Clothper yard, \$4.00 1 inch strips, 54 inches longper strip, .15
Rubbing Felts
No. 318. Gray, ¼ inch thick, for rubbing or polishing. 1 oz. measures $3x3\frac{1}{2}$ inches
No. 319. Gray, 5% inch thick, for rubbing and polishing. 1 oz. measures 1x1¼ inchesper oz., \$0.15
No. 320. White, ¾ inch thick, for polishing. 1 oz. measures 1x1½ inches

Our trademark Lion Head guarantees satisfaction.

Light Weight Key Rail Cloth

No. 321. Light weight, Green Key Rail Cloth, 54 in. wide.per yard, \$3.45 Cut in strips 2 inches wide and 54 inches long......per strip, .30

Heavy Weight Key Rail Cloth

No. 322. Heavy weight, Green Key Rail Cloth, 54 in. wide.per yard, \$5.30 Cut in strips 2 inches wide and 54 inches long......per strip, .45

Hammer Rail Cloth

No. 323. wide .	Medium	weight,	Green	Hammer	Rail	Cloth,	54 i	inches yard,	\$4.00
				I 54 inches					
inches	wide			Green H 54 inches			.per	yard,	5.60 .45

Worsted Braid or Binding



No. 327. Red Tape, ¾ inch wide, 18 yards long.....per roll, \$0.35

No. 328. Red Tape, ¼ inch wide, 18 yards long....per roll,45

Punchings

Sold in Gross Lots Only Regulating Button Punchings



No. 330. Punchings, white felt.....per gro., \$0.10

Center Rail Punchings



No. 332. No. 333. No. 333. No. 333.	Punchings, Punchings, Punchings, Punchings, Punchings,	white cloth per green felt per thin paper per medium paper per thick paper per tissue paper per tissue paper per per thin parel per per thin parel per	gro., gro., gro., gro.,	.10 .02 .02 .02 .02
		thin cardboardper thick cardboardper		.05

Front Rail Punchings



	Punchings, medium cloth	0.25
	per gro.,	.45
No. 337.	Punchings, large clothper gro.,	.40
No. 338.	Punchings, thin paperper gro.,	.03
No. 338.	Punchings, medium paperper gro.,	.03
No. 338.	Punchings, thick paperper gro.,	.03
No. 338.	Punchings, tissue paperper gro.,	.03
No. 339.	Punchings, thin cardboardper gro.,	.05
N o. 339.	Punchings, thick cardboardper gro.,	.05
	Key Punchings	
No. 340.	Punchings, green feltper gro., \$	0.30


Prices Net Wholesale, Postage Extra

....per set, \$1.65

Punching Outfit

No. 342. Punching Outfit. Consists of an assortment of paper and felt front and balance rail punchings, 18 gross in assort-

Covered Piano Strings



To save correspondence and delay, the following information is required on all orders for covered piano strings.

SINGLE STRINGS.

It is well to send the entire old string. If this cannot be done, give us the following information:

1—Distance from hitch pin to starting point of covered part.

2—Length of the wound or covered part.

3—Gauge of center wire.

-Distance from tuning pin to wound part.

5—Gauge of the covered wire.

o dauge of the covered was	
Single wound steel stringeach, \$0.	25
Double wound steel string each, .	30
Single wound copper stringeach,	40
Double wound copper stringeach,	45

When ordering strings by the set, send all old strings, or a paper pattern showing impressions of all covered strings, accompanied by the first and last string from each section.

Single or double wound piano strings, when ordered in sets of 36 or

more.

Piano Wire

Damascus Wire

DAMASCUS WIRE is made out of the finest imported steel, guaranteed to be perfect in gauge.



Each package in 1/4 lb. coils.

11 00	2.00
per 1b., \$2	<i>2</i> .00
non 1h	1 75
per lb.,	1./3
per lb.,	1.60
nor 1h	1.50
per 10.,	T.30
per lb.,	1.40
per lb.,	1.35
per 1b.,	1.20
	1.50 1.40 1.35

Plain Steel Strings

Damascus.

WIRE NECESSARY to string a piano: 1 lb., No. 19; 1 lb. No. 18; 34 lb., No. 17; ½ lb., No. 16; ½ lb., No. 15; ¼ lb., No. 14; ¼ lb., No. 13.

total, \$5.00

Wire Gauges

American Standard.



No. 343. Brown & Sharpe's, round or Standard, from 12 to 28.each, \$1.50
No. 344. Vulcan, round, from 12 to 28......each, 1.20
No. 345. Vulcan, round, from 5 to 28.....each, 1.50




Tuning Pins

Best Quality Steel.

	Per Set	Per Doz.
No. 002	\$3.00	\$0.20
No. 002 ¹ / ₄	3.32	.25
No. 0021/2	3.50	.25
No. 0002 ¹ / ₄	3.56	.25
No. 00021/2	3.75	.30
No. 000234	3.81	.30
No. 0003	4.13	.30
No. 000021/2	4.00	.30
	1	

To Assure Correct Size, Submit Sample.

Desk Pins



No. 346. Desk Pins, brass, whitened.....per 1b., \$0.60

Center Pins



No. 347. Center Pins, brass, whitened, sizes 18 to 26.....per set, \$1.25



Lion Brand Bluing

Especially prepared to restore original color to tuning pins and prevents further rusting.

No. 34	3. One	ounce	bottle\$0	.15
No. 34	8. Two	ounce	bottle	.25

Bridge Pins

No. 349. Bridge Pinsper 1b., \$0.20


Copper, sizes 4 to 10.

Plate Pins

No. 350. Plate Pinsper 1b., \$0.20

Iron, whitened, sizes 4 to 10.

Key Pins



Key Leads







No. 353. Key Leadsper 1b., \$0.25

Sound Board Buttons



No. 354. Wood, 1 inch diameter.....per gro., \$0.20



Rubber Head Nails



	10. 2		Per Gro.	Per Doz.
No. 355-1.	Nails or Tacks,	large	\$0.70	\$0.10
No. 355-2.	Nails or Tacks,	medium		.05
No. 355-3.	Nails or Tacks,	small		.05

Top Buttons







				Per Doz.
No.	356.	Rubber		 \$0.05
No.	357.	Rubber,	small	 .05
No.	358.	Rubber,	large	 .05

Rubber Caps



No. 451

	For bottom or ball bolts on upright pianos.	
No. 451.	Black rubber, 1%2 inch high, outside diameter 15%2 inch.	0 1 11
Per do	Z	0.15

Rosewood Buttons

(Same size as No. 356.)

Per Doz. Per Gro. ..\$0.45 \$0.05 No. 359. Rosewood Buttons



Fall Board or Desk Knobs

Mahogany, Oak and Walnut.

No. 361. 34 inch high, 13/16 inch diameter of head, complete with rubber head and screw.....per doz., \$0.40



Without screw and rubber button.....per doz., \$0.30 No. 360. Already fitted with screw.....per doz., No. 362.

Ivory Head and Tail Pieces





(Carrier Marie			
	Unpolished		
No. 363.	Ivory Heads, Quality 1per	doz.,	\$2.40
No. 363.	Ivory Heads, Quality 1per	set,	8.05
No. 364.	Ivory Heads, Quality 2per	doz.,	2.00
No. 364.	Ivory Heads, Quality 2per		8.25
No. 365.	Ivory Heads, Quality 3per	doz.,	1.95
No. 365.	Ivory Heads, Quality 3per	set,	7.50
N o. 366.	Ivory Heads, Quality 4per	doz.,	1.80
No. 366.	Ivory Heads, Quality 4per	set,	6.75
No. 367.	Ivory Tails, Quality 1per	doz.,	2.40
No. 367.	Ivory Tails, Quality 1per	set,	8.65
No. 368.	Ivory Tails, Quality 2per	doz.,	2.00 8.25
No. 368.	Ivory Tails, Quality 2per		1.95
No. 369.	Ivory Tails, Quality 3per	doz.,	
No. 369.	Ivory Tails, Quality 3per	set,	1.80
No. 370.	Ivory Tails, Quality 4per	doz.,	6.75
No. 370.	Ivory Tails, Quality 4per	set,	0.75
	Polished		
No. 371.	Ivory Heads, Quality 1per	doz.,	\$2.60
No. 371.	Ivory Heads, Quality 1per	set,	9.50
No. 372.	Ivory Heads, Quality 2per	doz.,	2.20
No. 372.	Ivory Heads, Quality 2per	set,	9.10
No. 373.	Ivory Heads Quality 3	doz	2.15
No. 373.	Ivory Heads, Quality 3per	set,	8.35
No. 374.	Ivory Heads, Quality 4per	doz.,	2.00
No. 374.	Ivory Heads, Quality 4per	set,	7.60
No. 375.	Ivory Tails, Quality 1per	doz.,	2.60
No. 375.	Ivory Tails, Quality 1per		9.50
No. 376.	Ivory Tails, Quality 2per	doz.,	2.20
No. 376.	Ivory Tails, Quality 2per	set,	9.10
No. 377.	Ivory Tails, Quality 3per	doz.,	2.15
No. 377.	Ivory Tails, Quality 3per	set,	8.35
No. 378.	Ivory Tails, Quality 4per		2.00
No. 378.	Ivory Tails, Quality 4per	set,	7.60
	Ivory Front Pieces		
No. 379.	Scroll Ivoryp	er ft	\$0.75
2121 0751	Each	ı Pe:	r Doz.
No. 456.	Second Hand Ivory\$0.20	\$	1.80

Celluloid Head and Tail Pieces



No.	380.	Polished, not cut. One octave measures 7x6¾ inches per octave, \$0.2	20
No.	381. neasur	Grained Celluloid, imitation ivory, not cut. One octave es 7x6¾ inchesper octave, .2	
No.	382.	Front Piecesper foot,)6
		Special prices in sheets.	

Heads and Tails



No. 383.	Heads an	id Tails, c	ombined, c	ut ready fo	or use, plai	n cellu-	
loid						per set, \$1.5	0
No. 384	Heads a	nd Tails.	combined.	cut ready	for use,	grained	
cellulo	id, imitat	ion ivory.				per set, 1.9	15

Ebony Sharps



New Ivory Glue



Cube form, white, especially adapted for ivories. Each cube must be well cooked in about 1/4 cup of hot water. One cube is enough for 1 octave of keys. No. 388.....per doz. cubes, \$0.45 No. 388.....per cube, .05 Savloid Liquid Glue White, for use on ivories, wood, leather, glass, metals, etc. No. 389. 2 oz. bottle.....\$0.20 No. 390. No. 391. Lion Brand Celluloid Glue Best Quality. 1 oz. bottle.....\$0.10 No. 393. .40 No. 393. Piano Case Repair Varnishes Extra Quick Drying. For damaged cases, such as checked, scratched, blistered. etc. Put up in 1/4 pint bottles. No. 436. Black\$0.30 No. 437. Brown, dark.... RLACK Camel Hair Varnish Brush No.4 No. 438. Brush, 3/4 inch wide, 7 inch handle......\$0.15 Extra Quality Outfit Polish Repair Work No. 439. Polish for Outfit 441.....\$0.30 Quick Drying Scraper No. 256. Scraper, extra quality.....\$0.25



LePage's Glue

No.	394.	Per	pint can	.each,	\$0.55
			½ pint can.		
			gill can		
No.	397.	Per	2 oz. bottle		.10
					1.00
			collapsible		.10
					1.00

Dry Cabinet Glue

No. 399. Sheet Form Imported glue.....per lb., \$0.60



Improved Lion Liquid Glue



Repair Shop Glue Pot

No. 255. Tin, with copper glue pot, water boiler, brass lamp and burner. Entire height 834 inches, diameter at base 6½ inches, weight 25 oz.....each, \$2.50

NT 400 TH

Piano Repair Material

Sand Paper

In Sheets 9×11 .

No. 401.	Sand	Paper	for	rubbing	down	and	finishing			
No. 00							per	dozen	sheets,	\$0.30
No. 0										
No. ½										
No. 1							per	dozen	sheets,	.30
No 2							ner			

Shellac Sticks

Star Shellac is of a high standard of quality and is being used by all first-class repairmen.



For repair work, in filling up cracks, scratches, etc., easily applied and leaves a polished finish.

NO. 402.	Ebony.		140. 400.	vv amut.
No. 403.	White.		No. 407.	Light Mahogany.
No. 404.	Light Oak.		No. 408.	Dark Mahogany.
No. 405.	Dark Oak.	i,	No. 409.	Transparent.
Per Doze	en			\$1.20

Rotten Stone

No. 410. Brick form.....per brick, \$0.25 (Air flooded, water levigated.)

Pumice Stone

No. 411, Powdered.....per 1b., \$0.10

Prices Net Wholesale, Postage Extra

Tuning Pin Bushing



For tuning pins which have become loose. Will hold firmly by the use of the metal friction sleeves. Take out the pins, one at a time, and insert the sleeves in the tuning pin hole, drive the same pin in again and draw the string up to pitch to maintain the tension upon the instrument.

Shims



For filling in cracks on Sound Board, etc.

No. 413. White wood, 24 inches long.....per doz., \$0.25

Graphite (Black Lead)



This is especially made for the purpose of lubricating wood surfaces of Piano actions, and will prevent friction, is perfectly dry and absolutely free from grit.



No. 414.	¼-lb. can	\$0.30
No. 415.	Small collapsible tubes, liquid formdoz., each,	.10

Piano Repair Material Chamoline

Made out of remnants of high quality chamois.





Imported Chamois Skin

Our Chamois Skins can be used either wet or dry, and are secured from the best tanners.



We have constantly on hand a large stock of Chamois Skins, and will quote special prices in dozen lots or kips (30 skins).

_	N. B	-These	Skin	s will	not harden	after	being	used	in	water.	
No	. 417.	Size 14	1x18	inches.	English,	good	quality			each,	\$0.50
No	. 418.	Size 16	5x21 i	inches.	English,	good	quality			each,	.75
No	. 419.	Size 26	5x28 i	inches.	English,	good	quality			each,	1.50

Sponges

Our Sponges comprise the finest and best grade Sheep Wool Sponges. Lasting quality for pianos, organs, musical instruments of all kinds, etc.



		Each Pe	r 1b.
No.	420.	Small size\$0.15 \$	3.50
No.	421.		3.50
No.	422.		3.50
	For	factories or large consumers, special prices for hale lots	

Ivory Bleacher



No. 423. To bleach yellow ivory keys white. Full description on box.....per box, \$0.40

Varnishes



LION BRAND POLISHING VARNISH

Quick Drying

\$0.10

No. 431. Best quality, for polishing.

prices in five gallon lots.

$\begin{array}{cccccccccccccccccccccccccccccccccccc$
No. 432. Best quality, for rubbing. \$0.10 1 oz. bottle .25 ½ pint can .45 1 pint can .80 1 quart can .80 ½ gallon can 1.50
Extra Quick Drying
No. 433. French Spirit Varnish. \$0.10 1 oz. bottle \$0.10 ½ pint can 40 1 pint can 75 1 quart can 1.45 ½ gallon can 2.75
Varnish Remover

Prices Net Wholesale, Postage Extra

No. 434. Paint and Varnish Remover.....per quart can, \$0.75
Above Varnishes are of standard qualities and dependable. Special

Piano Case Repair Outfit

No repairman should be without this useful Outfit.



No. 441

Consisting of:

No. 417. Chamois Skin.

No. 436. Black Varnish.

No. 437. Brown Varnish.

No. 438. Camel Hair Brush.

No. 439. Polish.

No. 386. Felt Pad, coarse.

No. 256. Scraper, extra quality.

Above complete in strong Chestnut Wood Box. Size 6½x6¼x2½, weight 42 oz.

No. 441. Outfit.

\$2.50

Ivory Polish Outfit for Tuners or Repairers

Consisting of:

Scraper, extra quality.

No. 256.

140. 000.	Ten rau, coarse.	
No. 387.	Felt Pad, fine.	
No. 452.	Bottle Liquid No. 1, for rubbing.	
No. 453.	Bottle Liquid No. 2, for polishing,	
No. 454.	Bottle Liquid No. 3, for cleaning!	
No. 417.	Chamois Škin.	
	complete in strong Chestnut Wood Box.	Size 6½x6¼x2½.
weight 35	OZ.	21-0 0/21-0/1/29
	Inches Delical Court Ca	@o.or

Piano Repair Material LION BRAND SPIRIT STAINS



FOR RETOUCHING



QUICK DRYING

Lion Brand Liquid Spirit Stains

Repair Outfit

This Repair Outfit is almost INDISPENSABLE FOR A TUNER. Consists of

No.		No.		
310	1 oz. Back Check Felt.	515	1	Gross Bridle Straps.
314	1 Strip Bushing Cloth.	518	1	Doz. Butt Plates.
313	1 oz. Name Board Felt.	519	1	Doz. Hammer Butt Springs.
321	1 Strip Key Rail Cloth.	414	1	Tube of Graphite.
323	1 Strip Hammer Rail Cloth.	523	6	Key Buttons.
330	1 Gro. Punchings.	526	6	Jack Jumpers.
331	1 Gro. Punchings.	527	1	Doz. Jack Springs.
332	1 Gro. Punchings.	530	6	Back Checks.
333	4 Gro. Punchings.	534	6	Damper Heads.
334	2 Gro. Punchings.	535		Damper Heads.
335	1 Gro. Punchings.	538		Doz. Damper Springs.
337	1 Gro. Punchings.	542		Doz., Screws.
338	4 Gro. Punchings.	543		Doz. Screws.
339	2 Gro. Punchings.	544		Doz. Screws.
340	1 Gro. Punchings.	545		Doz. Screws.
366	2 Ivory Heads.	546		Doz. Screws.
347	½ lb. Center Pins, assorted.	579		Pedal Props.
355	3 doz. Rubber Head Nails,	583		Trap Springs.
	1-2-3.	389	_	Bottle of Savloid Glue.
356	1 Doz. Rubber Buttons.	348	1	oz. Bottle Lion Brand
357	1 Doz. Rubber Buttons.			Bluing.
359	1 Doz. Rubber Buttons.	510	-	Abstracts.
360	1 Doz. Fall Board Knobs.	126		Box Bridle Strap Tacks.
395	1 Can Le Pages' Glue.	533		Damper Blocks.
503	6 Hammer Heads.	385		Ebony Sharps.
504	1 Doz. Hammer Shanks.		_	Sticks of Shellac.
505	1 Doz. Hammer Shanks.			Doz. Tuning Pins, assorted.
506	6 Hammer Butts.		1/2	4 1b. EACH Wire 13-14-15-
511	6 Flanges.			16-17-18-19.

No. 500. Repair Outfit.....

Upright Piano Furnishings

Piano Hammers




No. 501. Hammers, standard qualityper set, \$3.95
Bored to order
No. 502. Hammers, best quality
Bored to orderper set, 6.00
No. 503 Single Hammers, standard qualityeach, .10
If boring is desired, either send all old hammers as samples, or the
first and last hammer of each section, giving their numbers.

Hammer Shanks

			Per Doz.	Per Gro.
No. 504.	Maple Shanks	5 ', . ,	7.000	\$0.50
No. 505.	Cedar Shanks		.10	.75

Hammer Butts



		Per Set	Per Doz.
No. 506.	Hammer Butts only, without wooden flange.	\$2.75	\$0.40
No. 508.	Hammer Butts, with white metal plate	4.50	.70
No. 509.	Hammer Butts, bushed with center pin, for		
brass	flanges	3.50	.50
No. 507.	Hammer Butts, with wooden flange, bushed	3.50	.50

Abstracts



No. 510. Abstractper doz., \$0.30

Flanges



No. 511. Hammer Butt Flanges, bushed...... \$0.15 Per Doz. Per Gro. \$1.65

Brass Flanges



No. 512. Billings Brass Flanges.....per doz., \$0.25

Repair Rail Flange



No. 513. Brass, white plate and screw, 1 inch long and ½ inch wideper doz., \$0.30

Damper Flanges



No. 514. Damper Flanges and Spring.....per doz., \$0.20

Bridle Straps



Per Gro. Per Doz.

No. 515. Bridle Straps, with leather tips, 4 inch.....\$0.30 \$3.00

Bridle Tips




No. 516. Bridle Leather Tips.....per 100, \$0.20

Butt Plates



Hammer Butt Springs



Key Buttons



Per Set Per Doz. ..\$1.00 \$0.20

Per Set Per Doz. ..\$2.25 \$0.50

No. 522. Tongue and Flange, bushed.....per doz., \$0.25



 No. 523.
 Complete Wippen
 per doz.,
 \$0.75


 No. 524.
 Wippens or Rocker only
 per doz.,
 .30

Jacks or Jumpers



No. 525. Jacks or Jumpers.....per doz., \$0.25

Jack or Fly Flanges




No. 526. Jack or Fly Flanges.....per doz., \$0.20

Jack Springs

No. 527. 1 inch Jack Spring......per 100 pair, \$0.40

Damper Spoons




Back Checks




No. 530. Back Checks, complete.....per doz., \$0.20

Back Check Wire



No. 531. Back Check Wire.....per 1b., \$0.75

Bridle Wire



No. 532. Bridle Wiresper 1b., \$0.40

Damper Blocks



No. 533. Dámper Blocksper doz., \$0.20

Damper Heads



Prices Net Wholesale, Postage Extra

Damper Wedges



No. 535. Damper Wedges, ready for use, for single, double and triple strings. 20 double and 10 single wedges complete the bass section per doz. \$0.30 per set, .45
No. 536. Damper Wiresper lb., \$0.40
Damper Levers
No. 537. Damper Levers and Flanges, completeper doz., \$0.25
Damper Springs
No. 538. Damper Lever Springsper 100, \$0.40
Damper Screws
No. 539. Damper Screwsper 1b., \$0.40
Regulating Screws
No. 540. Regulating Screwsper 1b., \$0.50
Regulating Buttons

Prices Net Wholesale, Postage Extra

No. 541. Regulating Buttons.....per gross, \$0.25

Screws



Oval	Fill	Round	
Head.	Head.	Head.	

Per Gro

	101010
No. 542.	½ inch, Oval Heads, polished, for Butts, No. 4\$0.40
No. 543.	5% inch, Oval Heads, polished, for Butts, No. 4
No. 544.	3/4 inch, Oval Heads, polished, for Butts, No. 4
No. 545.	34 inch, Oval Heads, polished, for Butts, No. 5
No. 546.	1½ inch, Oval Heads, polished, for Butts, No. 9
No. 547.	34 inch, Fillister Heads, polished, for Flanges, No. 845
No. 548.	inch, Fillister Heads, polished, for Damper Lever
Flange	es, No. 7
No. 549.	1½ inch, Round Heads, polished, for Damper Lever
Flange	es, No. 7
No. 550.	134 inch, Round Heads, polished, for Damper Lever
Flange	es, No. 11
2	
	Locks
No. 553.	Brass, nickel plated, salvadge and strikerper doz., \$1.20
No. 554.	Keys, triangleper doz., .20
No. 555.	Escutcheonsper doz., .10
	.iv

Action Bracket Bolts



No. 557. Nickel plated head, 13 inch diameter, 4½ inches long, without headper doz., \$0.80

Lag Screws For Wrestplanks

No. 558. Hexagon head, nickel plated, ½ inch thick, 6 inches longper doz., .80

Capstan Screws

 No. 559.
 Capstan
 Screws
 Per Set
 Per Doz.

 \$0.20
 \$0.20

Soss Invisible Hinges



For piano fall boards wherever invisible joint is desired.


No.	560.	Brass,	small size	per	pair, \$0.30
No.	561.	Nickel	plated, small size	per	pair, .30
No.	562.	Brass,	medium size	per	pair, .35
No.	563.	Nickel	plated, medium size	per	pair, .35

Continuous Hinge



No. 565. Nickel plated, length 5 feet.....per hinge, \$1.10


Knife Hinges



No. 566. Bright steel, 31/8 inch.....per pair, \$0.06

Piano Furnishings

Butt (Hinges)



No. 567. Size 1¾ inches long, nickel platedper doz. pair, \$1.30

No. 568. Size 2x3 inches, nickel platedper doz. pair, 4.80


Piano Hinges-Empire Top



Leg Screws

No. 768. Hardwood, for square pianos.....per doz., \$0.90

Upright Furnishings Piano Pedal Guard Plates




No. 572. Pedal Guards, nickel plated, for 3 pedals.....each, \$0.40
No. 571. Pedal Guards, nickel plated, for 2 pedals....each, 20

Universal Metal Polish "Putz Pomade"




Pedal Feet



No. 573. Pedal Feet......per set of three, \$0.40 Iron, nickel plated; entire length, 9½ inches. From pin to center of hole, 3 inches. Drop horn style.

pin to center hole, 3 inches. Drop horn style.




No. 575, Pedal Feet.....per set of three, \$0.75 Iron with solid brass knurled cap. Steel mounting. Entire length, $8\frac{1}{2}$ inches; from pin to center hole, 3 inches.

Dowels


No. 425. Dowels, hardwood, in sizes 1/4, 3/8, 1/2 inch, length, 36 inches.....per doz., \$0.25

Pedal Feet Covers



No. 578. Felt Covers; very desirable for protecting the plated pedal feet from being scratched and worn....per set of 3, \$0.08per doz., .75

Pedal Props



No. 579. Steel, with brass nuts; diameter of rod, $\frac{5}{2}$ inch; length of rod, $\frac{5}{2}$ inches......per doz., \$0.15per 100, .95

Trap Pins



No.	580. 581.	Steel, of	copper	finishlarge, finishmedium,	\$0.80
No. 582.	Steel,	copper	finishsmall,	.30	

Trap Springs



No. 583. Blue steel, best quality...... per doz., \$0.15

Leg Plates



No. 584. Wrought iron, bright, straight.....per doz. pairs, \$0.75

Panel Springs For Lower Panel



No. 585. Blue steel, length 43/8 inches, width 13/6 inch....per doz., \$0.25

Piano Furnishings

Piano Casters



No. 590. Felt Casterper set, \$2.50

The caster is made of the very best grade of carbon steel. The bearings are made of glass hard steel balls, held in dust-proof cases. The socket fits holes left by removing old casters and is held in place by three screws. After the socket has been attached, push caster in until it clicks. Felt wool wheels are perfect insulators. Diameter of wheel, 2 inches.

Grand Piano Casters


No. 591. Brass Casters with deep square brass sockets..per set of 3, \$5.00

Player Parts and Player Supplies


Connections

No.	601.	"Y" Connectionsper doz.,	\$1.08
No	602.	Straight Connections, to fit bending elbows. Length 13/8	
- :	nches	diameter 160per 100,	.60
No	603	Elhows, large tracker, outside diameter .187per doz.,	.85
No.	604.	Elbows, small tracker, outside diameter .156per doz.,	.85

Tubing



Pedal Rubbers



No. 607. Rubber Pads.....per pair, \$0.25

Pedal Springs

\$0.20	For Bellows, flat steel, 14 lbs. pressure power, 11½ inches closedeach,	No. 732. long
.15	For Bellows, flat steel, 10 lbs., $8\frac{1}{4}$ inches longeach,	No. 733.
.10	For Pedals, flat steel, 6 lbs pressure power, 8¼ inches closedeach,	No. 734. long
.10	For Pedals, flat steel, 6 lbs. pressure power, 6 inches	No. 735.

Player Tracker Suction Pump



Professional repairmen will appreciate the new Combination Tool listed on page 35.

Player Piano Furnishings

RUBBER CLOTHS

Double Texture Cloths

No. 651. Medium Weight Double Texture Tan Colored Fabric, for Bellows, Feeders, etcper yard,	
No. 652. Double Texture Green Colored Fabric, for recovering Motors, Governors and Temp Boxesper yard,	1.40
No. 653. Black, silk rubberized cloth, for recovering small Bellows, Pneumatics, etcper yard,	1.25
No. 654. White, silk rubberized cloth, for recovering small Bellows, Pneumatics, etcper yard,	1.40
For Organ Bellows	
No. 659. Black Rubber Cloth for Bellows, medium thick, pliable	.55
No 660A Black Rubber Cloth for Bellows extra drill per yard	60

Above comes 36 inches wide.

A money maker for repairmen is listed on page 84.

Player Piano Furnishings

LEATHERS

Pouch and Pneumatic Skins

	Pouch Skin	
Intely air	red from animal intestinal membrane. tight, extremely flexible and will stand or cracking. The thickness about ½000	indefinite wear without

Sheepskins

	ror Organs.	
	Valve-skins, white Sheepskin, thin, soft and fineper skin,	\$3.00
No. 672.	Mute-skins, white Sheepskin, soft and medium thickper skin,	3.00
No. 673.	Bellows Valve, brown or white Sheepskin, medium thick,per skin,	
No. 674.	Bellows Stretch Leather, white, mediumper skin,	3.00

Diaphragm Leathers

For Player Bellows, Pneumatics, Etc.

No. 676. Light Brown Diaphragm or Pouch Leather for Primary	
and Secondary Pouches and for covering Air Motors and striking Pneumaticsper skin,	\$2.25
No. 677. Dark Brown Diaphragm or Pouch Leather, for same purposes as aboveper skin,	
No. 678. Red Diaphragm or Pouch Leather, for same purposes as aboveper skin,	
Fach Skin will make about 300 Pouches.	


Work Bench Vises listed on page 39 will interest you.

Organ Repairing Material



Staples. Wheel 1½ inches diameter, ½ inch wideper set,	
No. 702. Wood Rollers, egg shape, with Bar and Staplesper set,	.15
Carpet	
No. 703. Tapestry Carpet, 6½ inches wide and 10½ inches long.	
Per pair	\$0.25
No 607 Dubban Dada	25

Organ Trap Work Plugs or Fork



No. 741. Length 3 inches, diameter	13/4 inches. Slot 13/4 inch	nes
deep, 7/8 inches wide	per do	z., \$0.20
No. 742. Length 5 inches, diameter	13/4 inches. Slot 2 inch	nes
deep, 1/8 inch wide		
No. 743. Length 5 inches, diameter		
deep, % inch wide		
No. 744. Fork for Organ Stop Rods		
inch	per do	oz., .10
0 11 1 1 1 6	17	

Celluloid for Keys

See page 57.

Ivory Heads and Tails
For illustrations see page 56.

Ebony Sharps

For Ebony sharps see page 57.

Felt

No.	312.	Medium	thin,	for	pallets—see	page	47.
No.	313.	Medium	thick	, for	swells—see	page	47.

No. 705. Heavy, for padding, etc.....per yard, \$1.00

Pallet Rods

No. 706.	Pallet Rods, pi	ine; 3/16 inch	diameter, 51/4	inches long, not
leaded				per doz., \$0.10
				per gross, .95

Reeds

No. 707.	Not filed or voicedeach,	\$0.15
No. 708.	Not filed or voicedper octave,	1.50
No 709.	Filed, tuned and voicedeach,	.30
No. 710.	Filed, tuned and voicedper octave,	3.00
No. 711.	Sub-bass reeds, to order	1.25
No. 712.	Sub-bass reeds, extra large special sizeseach,	2.00
In ord	bering reads send the defective reed together with its o	ctave

In ordering reeds, send the defective reed, together with its octave above or below; otherwise we cannot insure correct tuning.

Reed Hooks



Scrapers

No. 714. Scraper, for tuning reeds, 8 inches long.....each, \$0.55

Webbing



Mute and Swell Springs

Valve Springs



No. 719. For Valves, brass, double coil, medium pressured, $3\frac{1}{2}$ inches longper lb., \$1.75



No. 720. For Valves, brass whitened pointed both ends, 4 inches longper lb., \$1.75

Stop Faces

No. 721. Stop Faces, celluloid, $^{15}\!\!/_{16}$ inch diameter.....per doz., \$0.36

Stop Knobs

No. 722. Stop Knobs, straight, black, for 15/16 inch face..per doz., \$0.36

No. 723. Stop Knobs, beveled, black, for 15/16 inch face..per doz., .48

Prices Net Wholesale, Postage Extra

Cloths

Rubber Cloth, for Bellows, see page 86; Rubber Cloth, see page 86.

Coupler Buttons



No. 724. For Keys, bushed, $\frac{7}{16}$ inch in diameter......per doz., \$0.10 No. 725. For Tracker Pins, $\frac{1}{2}$ inch in diameter.....per doz., .10

HINGES

Pedal Hinges



No. 726. Brass, 7/8 inch wide.....per doz., \$0.45

Butts, (Hinges)

No. 727. Plain Iron Butts, 1x2 inches, easy joints.....per pair, \$0.05

Mute and Swell Butts

No. 728. Mute and Swell Butts, easy joints, 1/2x1 inch....per pair, \$0.05

Leather

For illustrations and description see page 87.

Locks

For illustrations and description see page 74.

Pallets

No. 704. Pallets, bushed, with felt and leather, $6\frac{1}{4}x\frac{1}{2}$ inches, with $\frac{1}{2}$ inch slot.....each, \$0.08


Stop Rods


No. 729. Stop Rods, black, \(\frac{1}{16}\) inch diameter, $7\frac{1}{2}$ inches long with shoulder per doz., \$0.25

Valve Pins

No. 730. Valve Pins, brass pointed, 1½ inches long.....per lb.,

SPRINGS Flat Steel Springs





.15


Square Piano Furnishings **ACTION PARTS**

Piano Hammers



No. 751. Hammers in sets, bored to order, best quality. per set, \$6.00

Hammer Butts



No. 753. Hammer Butts and Flanges complete.....per set, \$6.00 No. 754. Hammer Buttsper doz., .90 Hammer Butt Flanges No. 755. Flies and Jack

.....per set, \$3.60 No. 756. Flies and Jacks complete..... No. 757. Flies and Jacks complete.....per doz.,

Jack Springs

.....per 100, **\$0.90** No. 758. Jack Springs

Damper Lifters

No. 759. Damper Lifters completeper set, \$0.80

Per doz. No. 760. Damper Lifter Buttons.....per 100, .15 No. 761. Damper Lifter Wire Rods.....per doz., .25

Prices Net Wholesale, Postage Extra

Square Piano Furnishings

Damper Heads

No. 762.	Damper Headsper doz., \$	0.30
No. 540.	Regulating Screwsper doz.,	.50
140. 541.	Regulating Buttonsper gro.,	.25

Hammer Shanks


No. 504. No. 505.	Maple Cedar	Shanks Shanks	Per Doz\$0.05	00 50
		NALULIII)	.10	.75

Back Checks

No. 763. Back Checks Per Set Per Doz. \$3.00 \$0.50

Nose Bolts

No. 764. Steel, best quality, 51/4 inches long.....per doz., \$0.75




No. 765. Steel, nickel plated, 31/4 inches long.....per doz., \$3.00

Locks

No. 766. Brass, nickel plated, selvedge and striker.....each, \$0.10 No. 767. Keys, squareper doz., .20

Square Piano Furnishings

Piano Pedal Feet



No. 769. For square or grand piano. Iron, nickel plated; entire length 9 inches; from pin to end 4 inches......per pair, \$0.25

No. 770. For square or grand pianos. Iron, nickel plated; entire length 7% inches; from pin to end 4 inches......per pair, .25

Moulders' Pattern Bellows

Majority of piano actions are ruined through moths and accumulations of dirt. Every piano tuner should carry one of these bellows.



No. 801.	6 inch	Bellowseach,	\$0.50
No. 802.	9 inch	Bellowseach,	.70
No. 803.	10 inch	Bellowseach,	.80
No. 804.	11 inch	Bellowseach,	.90
No. 805.	12 inch	Bellowseach,	1.00

Bellows are made of fine leatherett finish in a very attractive manner; light weight and have a pointed nozzle.



Flat Woven Down Dusters






No. 819. 8 inch feathers, 8 inch handle......per doz., \$12.00
No. 820. 10 inch feathers, 12 inch handle.....per doz., 18.75
No. 821. 12 inch feathers, 14 inch handle.....per doz., 24.75
Light colored, South American feathers, softest ostrich duster made: washable.

Piano Furnishings PIANO CASTER CUPS OR INSULATORS

Porcelain Glazed Insulators



No. 825. Caster Cups, porcelain glazed, rich brown mahogany	
color. Will not mar floors. Slides easily	
Per set of four \$0.35 Per dozen sets 3.00	
No. 826. Caster Cups, same as above, for Victrolas.	
Per set of four	
Per dozen sets 3.00	

Glass Insulators



No. 827.	Insulators,	glass, fancy pattern, whiteper	set	of four,	\$0.35
No. 828.	Insulators,	blueper	set	of four,	.35
	Insulators,	amberper			

Piano Furnishings PIANO CASTER CUPS OR INSULATORS

Felt Bottom Hardwood Caster Cups




Per set	• • • • • • • • • • •	7	oak finish only	

Cork Bottom Hardwood Caster Cups




No. 832.	Caster	Cups				per	dozen	sets, \$3.0	0
Per se	t								
Furnis	hed in	Golden	Oak,	White	Maple,	Mahogany	and	Walnut.	

Piano Furnishings NOVELTIES Price Card Holder




No. 840. Price Card Holder, for marking pianos, etc.; oak finishper doz. \$0.65

Mandolin Attachment



Piano Bench Transformer Brackets



A simple metal device, used to convert a piano bench into a player bench, by attaching on the inside of the music compartment, can be turned down when not being used, and will not reduce the sheet music compartment capacity. Neatly finished, tipped with heavy rubber. Bench Converter.....per set, \$0.35



Piano and Furniture Polish

We endorse "Zol" unqualifiedly.

No. 46. 8 oz. bottle, packed 1 dozen in a box....per doz., \$2.20

No. 48. Half-gallon bottles..per gal., 2.10 For gross quantity prices, write us.


Cheese Cloth

For cleaning and polishing piano cases.

No. 842. White, 36 in. wide..per yard, \$0.07



Everlasting Dustless Polishing Pads and Mittens



Made of best quality selected sheep skin, with the wool left on. Has no equal for polishing high grade woods. Will not streak or smear. Does not scatter dust.

No. 843. Mitten, size 10x7 inches, square corners.....each, \$0.75

No. 844. Pad, size 7½x4½ in., leather back, oval shape..per doz., 2.10

Piano Pedal Extension


Intended for the use of young children during their early studies.

The best Pedal Extension ever put on the market, simple, noiseless and easily adjusted and easily removable from the piano.



Lyon & Healy Repair Truck

A necessity for Shop and Factory.





Above photograph shows how easy it is to load a piano upon the Lyon & Healy Truck. The weight of the man in this picture is 128 lbs. and the piano weight 850 lbs. Mark the fact that only one man's services are required to place the piano in this position. The movable casters in the rear make it possible to swing the instrument around in a very small space. These trucks are shipped knocked down and crated. Shipping weight about 75 lbs.

No. 900. Truck. \$14.00

Canvas Cushion



No. 906. Cushions.....per pair, \$6.00

Made of 12 oz. canvas, stuffed with cotton. Length, 30 inches; width, 12 inches; thickness, 4 inches. By having a cushion under each end of piano while hauling safe delivery is insured.

Piano Truck Strap


For Strapping Pianos in Wagon.

No. 905.....each, \$4.00

Heavy 4 inch web and 18 inch heavy harness leather strap on each end. 134 inch buckle. Entire length, 12 feet.


Special length made to order, Extra per foot.

Piano Dollie or Skeleton Moving Truck




No. 909. Dollie. Made of best hickory wood. Length 34 in., width 22 inches. Fitted with Martin Casters and cushioned with carpet. \$6.00

Solid Floor Dollie or General Utility Store Truck



No. 910. Dollie Made of best hickory wood. Length 34 in., width 22 inches, top 78 inch thick. Fitted with Martin Casters.......\$6.50

Reynold's Combination Piano Mover




This cut shows the Reynold's Combination Mover with piano on the stairs.

Reynold's Combination Piano Mover


One of the special features of this mover is its adaptability for all styles of pianos; upright, square or grand; the construction being such that it can be easily and quickly lengthened to receive a square or grand piano or shortened to receive an upright. The latest improved truck differs from former combination mover in the end standards, which are here lengthened and have attached thereto at one end heavy ball-bearing casters, so that the piano can be turned on end and rolled in that position when turning and moving in difficult places, such as stair landings, halls, etc. Each end roller is provided with a strong ratchet, which prevents the truck from rolling back when going upstairs and holds it when going down, thus allowing the operator to stop the mover in safety at any point. Made of strongest and best qualities of wood.

In Position to Receive Upright Piano.



No. 915. Hickory wood with straps complete.....\$25.00

Piano Hoist



See page 108 for description

Piano Hoist


This Piano Hoist is made of steel and wrought iron. The frame of the hoist is a special double thick steel pipe and is so constructed that almost the entire weight of the piano comes upon the pipe endwise. The bottom of the frame is curved so as to take a firm bearing upon nearly the entire length and width of the window sill so that the full weight of the piano upon hoisting comes upon the window sill. The top of the hoist when in use is held in position by two wrought chains. Two bolts with hooks to engage these chains, extend from the outside of the window frame, and are firmly clamped to a hardwood cross piece on the inside and at the top of window frame. This clamp is adjustable to walls of different thicknesses. One of the most useful features of this hoist is the swing. The upper end of the swing is attached to the top so as to move easily. The lower end of the swing is fastened to the frame until the piano is raised sufficiently high to permit it to swing under the piano. When the piano is lowered until the outer end rests under the outer piece of the swing, the inner end of the piano can then be swung into the house and the swing will carry the outer end. The cuts illustrate the operation of the swing and the manner of taking a piano in or out of a window. The hoist complete weighs 125 lbs.

N o. 916.	Piano Hoist, without harness, rope or tackle block\$20.00
	Harness for hoist, best oak tanned leather and strong
N o. 918.	Manila Rope, 3/4 inch thick and 250 feet long\$14.75
N o. 919.	Tackle Block, sure grip, best quality \$8.75

The engaging chains must not be placed lower than 18 inches from top of hoist frame. Shipped direct from factory.

See page 107 for illustration.

Inexpensive Practical Piano Moving Truck



A combination truck. The frame is made of hardwood, well bolted together. Front wheels adjust themselves by lifting up on the lifting straps. You can have truck flat on the floor or mounted on its wheels. Can put piano on end or at an angle. It is low down so that it adds but little to the height of piano, which is a big item when going up or down a stairway with low ceiling. Weighs 70 lbs. complete; is strong and durable.

For Gluing Ivories we guarantee our new own make Ivory Glue. See page 58.

Inexpensive Practical Piano Moving Truck



No. 925. Truck with straps complete.....\$17.45

Self-lifting. Is an exact duplicate of the Findlay Truck, except that it has wheels in the place of rollers and has no lock. The cut shows the bail of the long part turned up, thus leaving the hooks on which the piano rides down the floor ready to push under piano. On the short end the hooks are shown up off the floor, which is brought about by simply turning the bail down, thereby mounting truck on its wheels. The leverage of the bail is so great that a child can truck a piano. It is a truck always ready and weighs about 60 lbs.

The Findlay Self-Lifting Piano Truck

Small in size, light in weight, easily handled and amply strong. Always ready, and fits every upright piano without adjustment. Absolutely no lifting to truck the instrument.



With Lifting Handles.


No. 930. With Straps, complete.....each, \$27.51'

Made of best crucible steel, hardwood and iron, tubular iron rollers, forged roller boxes, ratchet lock, nicely painted and upholstered. Complete with best harness leather straps and extra heavy web, $3\frac{1}{2}$ inches wide.

The cuts show the simplicity of these trucks. Two pieces. One is applied at each end of the piano; by pushing the bail down you truck the piano instantly. The leverage being automatic in its construction, requires no extra parts or movements to hold the piano to its raised position. The handles fold up in the frame of the truck out of the way when you want to put the piano on end, and are held in place by a coil spring in the head of the handles.

The Findlay Double End Truck

Small in size; light in weight; easily handled and amply strong. Always ready and fits every upright piano without adjustment. Absolutely no lifting to truck the instrument.



No. 935.	Double En	nd Truck, w	ith Lifting	Handles as	nd Straps com-
plete .					\$30.50

Made with both parts like the long part of No. 930, with roller bearing casters and ratchet lock on both parts, thereby making it a double end truck, that is you can put the piano on either end and roll it. This often saves turning piano around, and having a lock on both parts, you can keep piano from rolling either way while in the wagon. A very desirable truck for hilly country. Materials, finish and accessories same as with No. 930.

No. 940.	Truck, same	e as No.	935, but has smo	oth roller, h	ball	bear-
ing, ir	stead of the	flanged	or capped roller	shown on 1	No.	1503;
has in	on casters					\$35.23

No. 945. Same as No. 940, equipped with rubber tired casters.... 37.

INDEX

<u> </u>	Caps, Itubbet
Abstract Illnright 68	Caplan's lvory Powder 63
Abstract, Upright	Capstan Screws
Abstract Cloth 40	Capstan Screw Driver 16
Action Bolt Wrench 27	Capstan Screw Regulator 14
Action Cloth	Card Holder99
Action Felts	Carpets, Organ Pedal
Action Parts 68 to 74	
Action Deculators 12 to 15	Casters, Organ 88
Action Designators	Casters, Plano 81
Action Regulators	Casters, Piano
Action Springs, Square 93	Celluloid 57
Action Springs, Upright 71	Celluloid Glue
Alcohol Lamps 28	Center Pin Box
В	Center Fin Box
${f B}$	Center Pin Punch
Book Chaoka Canora 04	Chamoline
Back Checks, Square 94	Chamois 62
Back Checks, Upright 72 Back Check Felt 47 Back Check Regulator 12-13	Champion Screw Driver 10
Back Check Felt 47	Cheese Cloth
Back Check Regulator12-13	Chuck Drill 9
Back Check Wires 72 Bar, Tracker 83	Clampa Irrany 90
Bar Tracker 83	Clamps, Ivory
Bass Damper Wedges	Cloth, Action
Pollow Cloth Pubber	Cloth, Bushing 48
Bellow Cloth, Rubber	Cloth, Cheese
Bellows, Moulders' 95	Cloth, Cheese
Bench Vise	Combination Screw Driver 6
Bench Transformer 99	Combination Holder 6
Benders, Spoon 14	Combination Dliens
Billings Brass Flanges 69	Combination Pliers
D:4 Tr T J	Connections, Straight and Y 82
Dits, Rey Leau	Continuous Hinges100
Bits, Spoon	Coupler Buttons 91
Bits, Rey Lead	Covered Strings 52
Black Lead	Cushion
Blades, Screw Driver	
Blades, Screw Driver	
Placks Domner Unright 72	a
Blocks, Damper, Upright 72 Bluing, Lion Brand 53	Damper Blocks
Blocks, Damper, Upright	Damper Blocks
Blocks, Damper, Upright	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid Stringing 49	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braees, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Tips 70 Bridle Wires 72 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brurning-In Knife 28	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Strap Inserter 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon 72 Damper Wedges 73 Damper Wedges 73
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Strap Inserter 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon 72 Damper Wedges 73 Dack Washe 55
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Strap Knife 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Rnife 23 Pubbing Press Tuning Pin 61	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon 72 Damper Wedges 73 Dack Washe 55
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Strap Knife 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Rnife 23 Pubbing Press Tuning Pin 61	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon 72 Damper Wedges 73 Dack Washe 55
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Strap Inserter 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 23 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon Benders 72 Damper Wedges 73 Damper Wires 73 Diaphragm Leather 87 Double Head Screw Driver 13
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braees, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 23 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Key 70	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Buttons, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon Benders 72 Damper Wires 73 Damper Wires 73 Desk Knobs 55 Diaphragm Leather 87 Double Head Screw Driver 13 Dowels 79
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braees, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 23 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Key 70	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Buttons, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon Benders 72 Damper Wires 73 Damper Wires 73 Desk Knobs 55 Diaphragm Leather 87 Double Head Screw Driver 13 Dowels 79
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon 72 Damper Wedges 73 Damper Wires 73 Desk Knobs 55 Diaphragm Leather 87 Double Head Screw Driver 104 Dowels 79 Dowels 79 Dowels 79 Dowels 79 Dowels 79
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braees, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Knife 28 Bushing Knife 23 Bushing Rnife 23 Bustions, Organ Coupler 91 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Buttons, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon Benders 72 Damper Wires 73 Damper Wires 73 Desk Knobs 55 Diaphragm Leather 87 Double Head Screw Driver 13 Dowels 79
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridge Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Tips 72 Bridle Strap Inserter 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Knife 23 Bushing Knife 23 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt Hinges 76	Damper Blocks 72 Damper Flanges 69 Damper Heads, Square 94 Damper Heads, Upright 72 Damper Lifters, Square 93 Damper Lifter Buttons, Square 93 Damper Lifter Wire Rods, Square 93 Damper Post, Square 94 Damper Regulator 12-14 Damper Screws 73 Damper Spoon Benders 72 Damper Wedges 73 Desk Knobs 55 Diaphragm Leather 85 Double Head Screw Driver 13 Dowel Bender 13 Dusters, Piano 96
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 28 Bushing, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt 10	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 28 Bushing, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt 10	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 28 Bushing, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt 10	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridge Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Tips 72 Bridle Strap Inserter 20 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Knife 23 Bushing Knife 23 Bushings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt Hinges 76	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 28 Bushing, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt 10	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridge Pins 74 Bridge Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Burning-In Knife 28 Bushing Knife 23 Bushing Knife 23 Bustings, Brass Tuning Pin 61 Buttons, Organ Coupler 91 Buttons, Regulating 73 Buttons, Rubber 55 Butts, Upright 68 Butts, Upright 68 Butts, Square 76 Butt Plates 70	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Straps 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brushes, Varnish 58 Busning Cloth 48 Bushing Knife 28 Bushings, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butts, Upright 68 Butts, Square 76 Butt Plates 70 Caninet Glue 59	Damper Blocks
Blocks, Damper, Upright 72 Bluing, Lion Brand 53 Bolts, Bracket 74 Braces, Screw Driver 10 Braid, Stringing 49 Bridge Pins 54 Bridle Strap 70 Bridle Strap Tacks 20 Bridle Strap Tips 70 Bridle Strap Inserter 20 Bridle Wires 72 Bridle Strap Knife 20 Broach Handle 23 Brusnes, Varnish 58 Burning-In Knife 28 Bushing Cloth 48 Bushing Knife 28 Bushing, Brass Tuning Pin 61 Buttons, Key 70 Buttons, Regulating 73 Buttons, Rubber 55 Buttons, Sound Board 54 Butt 10	Damper Blocks

INDEX—Continued

F	Ivory Clamps
Faces, Stop 90	Ivory Glue 58
Fall Board Knobs 55	Ivory Glue 58
Felt Knives 32	J
Felt, Muffler 46 Felt, Action 46 to 48	
Felt, Action46 to 48	Jack Rockers
Felt, Damper 46 Felt Pickers 17	
Felt Pickers	Jacks, Upright
Felt Picker Needles	Jack Springs, Upright
Findlay Truck	Jack Springs, Oprignt
Flanges Square 93	X X
Flanges, Square 93 Flanges, Upright 99	Key Buttons 70
	Key Center Hole Punch 70
Fliat Nose Flies Flies or Jacks, Square	Koy Lood Pite 22
Flies or Jacks, Upright	Key Leads 54
Forks Tuning 19	Key Pins 54
French Spirit Varnishes 64	Key Plier 37
	Key Leads 54 Key Pins 54 Key Plier 37 Key Rail Cloth 49
G control of the	Key Reamer
Gauges, Wire 52 Glue, Celluloid 58 Glue, LePage's 59 Glue, Lion Brand 59 Glue Pots 59	Key Rebushing Knife. 23 Key Rebushing Wedge. 23
Glue, Celluloid 58	Key Rebushing Wedge 23
Glue, LePage's 59	
Glue, Lion Brand 59	Keys, for Square 94
Glue Pots 59	Keys, for Upright
time Holder	Key Spacer 12 Keys, for Square 94 Keys, for Upright 74 Kits, Tuners' 43-44-45 Vnife Hinges 75
Grand Action Damper Easier 30	Knife Hinges
Grand Action Screw Driver 30 Grand Hammer Butt Spacer 30	Knives
	Knobs, Desk 55 Knobs, Stop 55
Graphite	Knobs, Stop
Guards, Pedal	Ti-
H '	
Hale Tuning Hammer 4	Ladder Chain 83
Hale Tuning Hammer	Lag Screws, Upright
Hammers for Driving in Tuning	Lamps, Alcohol 28
Hammers, for Driving in Tuning	Leathers and Skins 87
Hammers, for Driving in Tuning Pins	Leathers and Skins87 Leg Plates 80
Hammers, for Driving in Tuning Pins	Leathers and Skins87 Leg Plates 80
Hammers, for Driving in Tuning Pins	Leathers and Skins87 Leg Plates 80
Hammers, for Driving in Tuning 39 Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59
Hammers, for Driving in Tuning 39 Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59
Hammers, for Driving in Tuning 39 Pins Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19	Leathers and Skins87 Leg Plates 80
Hammers, for Driving in Tuning 39 Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Heads Tuning 3	Leathers and Skins 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74
Hammers, for Driving in Tuning 39 Pins Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Heads 19 Hammer Bail Cloth 49	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74
Hammers, for Driving in Tuning 39 Pins Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Heads 19 Hammer Bail Cloth 49	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 Mandolin Attachment 99
Hammers, for Driving in Tuning 39 Pins Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Heads 19 Hammer Bail Cloth 49	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 Mandolin Attachment 99 Macon & Harrin Wronghos 5
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Felt 46 Hammer Iron 19 Hammer Heads. Tuning 3 Hammer Shanks 68 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 Mandolin Attachment 99 Macon & Harrin Wronghos 5
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Heads. Tuning 3 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 Mandolin Attachment 99 Macon & Harrin Wronghos 5
Hammers, for Driving in Tuning 39 Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Piler 37 Hammer Shank Roller 37	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Extractor 21	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Felt 46 Hammer Iron 19 Hammer Heads 3 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Extractor 21 Hammer S, Tuning 1 to	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Felt 46 Hammer Iron 19 Hammer Heads 3 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Extractor 21 Hammer S, Tuning 1 to	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Flanges 70 Hammer Hautt Springs 70 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Plier 37 Hammer Shank Roller 33 Hammer Extractor 21 Hammers, Tuning 1 to 5 5 Hand Drill 10 Hand Vise 16	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Flanges 70 Hammer Hautt Springs 70 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Plier 37 Hammer Shank Roller 33 Hammer Extractor 21 Hammers, Tuning 1 to 5 5 Hand Drill 10 Hand Vise 16	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Extractor 21 Hammers, Tuning 1 to 5 Hand Drill 10 Handles 6, 7, 23 Harness for Hoist 108	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Felt 46 Hammer Iron 19 Hammer Heads. Tuning 3 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 37 Hammer Extractor 21 Hammer Struing 1 to 5 Hand Drill 10 Hand Vise 16 Hanness for Hoist 108 Harn Felt 46	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammers, Tuning 1 to 5 Hand Drill 10 Hand Vise 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 M Mandolin Attachment 99 Mason & Hamlin Wrenches 5 Midget Screw Driver 46 Music Wire 52 Mutes 31 Mute Spring 31 Nail Props 79 Nails, Rubber Head 55 Name Board Felt 47 Needles for Felt Picker 17
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammers, Tuning 1 to 5 Hand Drill 10 Hand Vise 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Heads. Tuning 3 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Heads 68 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammer Shank Roller 10 Hand Drill 10 Hand Use 16 Handles 6 Harness for Hoist 108 Harp Felt 46 Holder, Center Pin 16 Holder, Wire 25	Leathers and Skins. 87 Leg Plates 80 Levers, Damper Upright 73 Lifter, String 22 Liquid Glue 59 Locks, Square 94 Locks, Upright 74 M Mandolin Attachment 99 Mason & Hamlin Wrenches 5 Midget Screw Driver 46 Music Wire 52 Mutes 31 Mute Spring 31 Nail Props 79 Nails, Rubber Head 55 Name Board Felt 47 Needles for Felt Picker 17
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Heads. Tuning 3 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Heads 68 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammer Shank Roller 10 Hand Drill 10 Hand Use 16 Handles 6 Harness for Hoist 108 Harp Felt 46 Holder, Center Pin 16 Holder, Wire 25	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammers, Tuning 1 to 5 Hand Drill 10 Hand Vise 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Extractor 21 Hand Drill 10 Hand Use 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76 Holder, Center Pin 16 Holder, Wire 25 Hoist 107	Leathers and Skins.
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 33 Hammer Extractor 21 Hammer Extractor 21 Hand Drill 10 Hand Vise 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76 Holder, Center Pin 16 Holder, Wire 25 Hoist 107 Hooks, Reed 89	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Heads 68 Hammer Shank Roller 33 Hammer Extractor 21 Hammer Extractor 21 Hand Drill 10 Hand Vise 16 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Hinges 75-76 Holder, Center Pin 16 Holder, Wire 25 Hoist 107 Hooks, Reed 89	Leathers and Skins
Hammers, for Driving in Tuning Pins 39 Hammer Butts 68 Hammer Flanges 69 Hammer Butt Felt 47 Hammer Butt Springs 70 Hammer Felt 46 Hammer Iron 19 Hammer Rail Cloth 49 Hammer Shanks 68 Hammer Shank Burning Lamps 28 Hammer Shank Drill 13 Hammer Shank Roller 37 Hammer Shank Roller 33 Hammer Shank Roller 33 Hammer Stank Roller 33 Hammer Stank Roller 34 Hammer Stank Roller 33 Hammers Tuning 1 to 5 Hand Drill 10 Handles 6, 7, 23 Harness for Hoist 108 Harp Felt 46 Holder, Center Pin 16 Holder, Wire 25 Hoist 107 Hooks, Reed 89	Leathers and Skins.

INDEX—Continued

Organ Coupler Buttons 91	Player Parts82-83
Organ Coupler Buttons 91 Organ Hinges 91	Player Tracker Bar Cleaner 84-85
Organ Padding Felt	Player Pedal Springs 85 Pliers 35-36-37
Organ Knobs 90	Pliers
	Pliens 35-36-37
Organ Pedal Carpet 88 Organ Pedal Springs 92	Proumatic Cloth
	Fliers 38 Plug, Trap 88 Pliers 35-36-37 Pneumatic Cloth 86 Pneumatic Skins 87 100 100
	Polishing Mitt 100 Polishing Pad 38 Polishing Varnish 58-64
Organ Reed Hooks	Polishing Pad 38
Organ Reed Scraper 89	Polishing Varnish58-64
Organ Screw Driver 10	Polich Skin
Organ Stop Rods 92 Organ Stop Faces 90	Pouch Leather 87 Props, Pedal 79
Organ Stop Faces 90	Props, Pedal
Organ Swall Springs 90	Pumice Stone 60
Organ Springs 92	Pumice Stone 60 Pumps, Tracker Bar 84-85 Punches 26
Organ Trap Plug	Punchings
Organ Valve Skins	Punching Cloth 48
	Punching Cloth 48 Punching Outfit 50
Outfits, Polishing	Putz Pomade
Outlits, variish	
P	R
	Rail Flanges 69
Pads, Rubbing	Ratchet Screw Driver
Pads, Rubber 82	Reed Hooks 89
Pads, Rubbing 38 Pads, Rubber 82 Panel Springs 80 Parallel Plier 37	
Parallel Piler	Regulating Buttons 73 Regulating Pilers 37 Regulating Screws 73 Regulating Screw Driver 12
Perfect Pocket Oiler	Regulating Pliers 37
Pedal Unright 78	Regulating Screws
Pedal Carnets 88	Regulating Screw Driver 12
Pedal, Square 78 Pedal, Upright 78 Pedal Carpets 88 Pedal Rubber Pads 82	Regulators, Action
Pedal Guards 77	Reynolds' Combination Trucks105 Rockers, Upright
Pedal Hinges 91	Rockers Upright
Pedal Slipper 79	Rocker Screw Driver 13
Pedal Webbing 89	Rods, Stop 90
Piano Butts 76	Rods, Stop 90 Rolls, Tuners' 42
Plano Casters	Rosewood Ruffons 99
Piano Casters 81 Piano Damper Felt 46 Piano Dusters 96	Rotten Stone
Piano Glue Pots	Round Nose Pliers
	Rubber Bellow Cloth
Piano Hammers 68	Rubbing Pads
Piano Hinges	Rubbing Pads
Piano Locks, Square 94	Trubbing , dames -
Piano Locks, Upright	S
Piano Hammer Feit 40 Piano Hammers 68 Piano Hinges 75-76 Piano Locks, Square 94 Piano Locks, Upright 74 Piano Pedals 78 Piano Polish 100 Piano Polish 65	Sandpaper 60 Sandpaper File 33 Satchels, Tuners' 40-41 Savloid Glue 58
Piano Polish	Sandpaper File
Piano Polishing Pads 65 Piano Polishing Mitt 100 Piano Rubbing Felt 48	Satchels, Tuners'
Piano Rubbing Felt 48	Sayloid Glue 58
	Scissors 24
Piano Screw Driver 7 to 10	Scrapers, Reed 89
Piano Trucks	
	Scrapers, for wood and Ivory. 20-21-00
Piano Action Cloth46-47-48	Screws
Piano Screw Driver .7 to 10 Piano Trucks .102 to 112 Piano Action Cloth .46-47-48 Piano Action Felt .47	Saviold Glue 30 Scissors 24 Scrapers, Reed 89 Scrapers, for Wood and Ivory.26-27-58 Screws 74 Screw Driver and Bits 7-8-9-10 Screw Holds 7-8-9-10
Pin Extractor 18	Belew Biller and Bits
Piano Action Felt	Belew Biller and Bits
Piano Action Felt	Belew Biller and Bits
Piano Action Felt	Screw Holder 16 Screws, Capstan 74 Screws, Regulating 73 Shanks, Hammer 68 Sharps 57
Plano Action Felt 31 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins Koy 54	Screw Holder 16 Screws, Capstan 74 Screws, Regulating 73 Shanks, Hammer 68 Sharps 57 Shover 26
Plano Action Felt 31 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins Koy 54	16 16 16 17 16 17 17 18 18 19 19 19 19 19 19
Plano Action Felt 18 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins, Key 54 Pins, Plate 54 Pin Setter 18	16 16 16 17 16 17 17 18 18 19 19 19 19 19 19
Plano Action Felt 18 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins, Key 54 Pins, Plate 54 Pin Setter 18 Planes 39	16 16 16 17 16 17 17 18 18 19 19 19 19 19 19
Plano Action Felt 18 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins, Key 54 Pins, Plate 54 Pin Setter 18 Planes 39 Plate Dins 54	16 16 16 17 16 17 17 18 18 19 19 19 19 19 19
Plano Action Felt 18 Pin Extractor 18 Pin Vise 16 Pins, Bridge 54 Pins, Center 53 Pins, Desk 53 Pins, Key 54 Pins, Plate 54 Pin Setter 18	Screw Holder 16 Screws, Capstan 74 Screws, Regulating 73 Shanks, Hammer 68 Sharps 57 Shover 26

INDEX—Continued

Slipper, Piano 79 Sound Board Buttons 54 Spacer, Back Check 13 Spacer, Key 12 Spacer, String 22 Spiral Ratchet Screw Driver 9 Sponges 63 Spoon Bender 14 Spoon Bits 22 Spoons, Curved 72 Spoing Adjuster 15 Springs, Bellow 92 Springs, Damper 73 Springs, Hammer Butt 70	Trap Springs 80 Trucks, Moving 102 to 112 Tubing, Rubber 82 Tuners' Kits 43 to 45 Tuners' Roll 42 Tuners' Cases 41 Tuners' Wedges 31 Tuning Forks 19 Tuning Hammers 1 to 5 Tuning Pins 53 Tuning Pin Bushings 61 Tuning Pin Drill 22 Tuning Pin Extractor 18 Tuning Pin Punch for Driving in 26 Tuning Pin Punch 26 Tweezer 24
Spring Rail Felt47	TI THE RESERVE TO THE
Springs, Valve 90	
Square Piano Parts93-94	Upright Action Parts68 to 80
Steinway Capstan Screw Regula-	V
tor 15 Stain, Liquid 66 Starrett's Nipper 34 Sticks, Valve 91 Stevens' Pump 84 Stop Knobs 90 Stone, Pumice 60 Stone, Rotten 60 Straps, Bridle 70 String Lifter 22	Valve Pins 89 Valve Springs 90 Varnish Outfits 65 Varnishes, Lion Brand 64 Varnish Remover 64 Vises, Bench 39 Vises, Pin 16
String Spacer	Webbing, Pedal 89
Stringing Hammer 6	Wedge Felt
Stringing Crank	Wedges, Tuners'
Strings, Plain 52	Wippens
Strings, Covered	Wire 52
Swan Bill Plier	Wire, Covered 52
Swell Springs 90	Wire Carrier
	Wire Clamps, Tin
T	Wire Gauges
Tackle Block108	Wire Reel
Take-Off Spool 83	Wires, Back Check 72
Tap 18	Wires, Damper 73
Tape, Stringing 6 Tempo Indicator 83	Worsted Braid 89 Wrenches Action Bolt 27
Teeler Roll	Wrenches. Action Bolt
Tool Handle 7	Wrench, Mason & Hamlin 5
Tool Holder 11	
Tongue and Flange	Vanlage Comme Drivers
Tracker Bar 83 Tracker Bar Pump 84	Yankee Screw Drivers 9
Tracker Bars	Z
Trap Pins	Zol Polish

Cauler Desh Key Key WE are also extensive manufacturers of Piano Benches, Music Cabinets, Piano Scarfs and Covers, etc., and will gladly send our special illustrated catalogue on request.

LYON & HEALY,

ENCREASED CLEAT OF PAN ENTERNAL, STEEL OFFER, BRASS, FELTS ETC. ALL ALL STEEL OFFER, BRASS, FELTS HABE NELD STEEL OF THE S